


MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A



UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE		
REPC AD-A	207 594 ——	Form Approved OMB No 0704-0188
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED	KINGS	
2a SECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION/AVAILABILITY OF REP This document has bee	
26 DECLASSIFICATION / DOWNGRADING SCHEDULE	public release and sa tribution is unlimit	ale; its dis-
4 PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPOR	
IBM Research Report RJ6744	Technical Report #1	7
6a NAME OF PERFORMING ORGANIZATION 1BM Research Division (If applicable)		
Almaden Research Center 6c. ADDRESS (City, State, and ZIP Code)	Office of Naval Resea	
6c. ADDRESS (City, State, and ZIP Code) 650 Harry Road	7b. ADDRESS (City, State, and ZIP Code)	
San Jose, CA 95120-6099	Chemistry Division Co Arlington, VA 22217	ode 1113
8a. NAME OF FUNDING / SPONSORING 8b. OFFICE SYMBOL ORGANIZATION (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIF	ICATION NUMBER
Office of Naval Research	N00014-84-C-0708, 4131022	
8c. ADDRESS (City, State, and ZIP Code) Chemistry Division, Code 1113	10 SOURCE OF FUNDING NUMBERS	
Arlington, VA 22217	PROGRAM PROJECT TAS	
11 TITLE (Include Security Classification)		
Optical Detection and Spectroscopy	y of Single Molecules in	n a Solid
12 PERSONAL AUTHOR(S) W.E. Moerner and L. Kador		
13a TYPE OF REPORT 13b TIME COVERED Interim Technical FROM TO	14 DATE OF REPORT (Year, Month, Day) 1989, March 23	15 PAGE COUNT
16 SUPPLEMENTARY NOTATION		
Submitted for publication in Phys:	ical Review Letters	
	IS (Continue on reverse if necessary and iden	tify by block number)
	pectroscopy impurity	absorption,
	sitive detection	bsorber effects.
19 ABSTRACT (Continue on reverse if necessary and identify by block	k number)	1
Using two different double, modula	tion techniques, we have	observed the
optical absorption spectrum of sin p-terphenyl host crystal at liquid	ngle dopant molecules of drhelium temperatures.	pentacene in a To achieve this,
frequency-modulation spectroscopy	was combined either wit	th Stark or
ultrasonic modulation to remove in	nterfering background si	ignals from
residual amplitude modulation, and	d the number of molecule	s in resonance
was reduced to one by operating in	n the wings of the inhom	nogeneous line.
Triplet bottleneck saturation apports molecule regime.	ears to be suppressed in	i the single-
	1	nTIU
		Like
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION	WAY 12 19
₩UNCLASSIFIED/UNLIMITED SAME AS RPT	22b TELEPHONE (Include Area Code) 22c	
Dr. W.E. Moerner	(408) 927-2426	TUE!
DD Form 1473, JUN 86 Previous editions a		IFICATION OF THIS PAGE
S/N 0102-LF-	-014-6603 O UNCLASSI	FIED
	OJ J	し 並び

OFFICE OF NAVAL RESEARCH

Contract N00014-84-C-0708

R&T Code 4131022

Technical Report No. 17

Optical Detection and Spectroscopy of Single Molecules in a Solid

by

W. E. Moerner and L. Kador

Prepared for Publication

in

Physical Review Letters

IBM Research Division Almaden Research Center 650 Harry Road San Jose, California 95120-6099

March 23, 1989

Accession For

BTIS GRAŁI
DTIC TAB
Unanneusced
Justification

By
Distribution/
Availability Codes

Availability Codes

Dist Special

COPY

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

OPTICAL DETECTION AND SPECTROSCOPY OF SINGLE MOLECULES IN A SOLID

W. E. Moerner and L. Kador

IBM Research Division, Almaden Research Center

San Jose, California 95120

ABSTRACT: Using two different double-modulation techniques, we have observed the optical absorption spectrum of single dopant molecules of pentacene in a p-terphenyl host crystal at liquid-helium temperatures. To achieve this, frequency-modulation spectroscopy was combined either with Stark or ultrasonic modulation to remove interfering background signals from residual amplitude modulation, and the number of molecules in resonance was reduced to one by operating in the wings of the inhomogeneous line. Triplet bottleneck saturation appears to be suppressed in the single-molecule regime.

There has been much recent interest in optical detection and spectroscopy of single absorbers in various environments. Single atomic ions in vacuum confined in electromagnetic traps have been detected and cooled and have shown a variety of interesting quantum jump¹ and photon antibunching phenomena ² that test our understanding of quantum physics. In liquid media, single viruses and bacteria ³ and single proteins with multiple chromophores ⁴ have been detected using optical traps and hydrodynamic focusing techniques, respectively.

The detection of single absorbers in a solid would provide an important new tool for the study of local absorber-host interactions that would be uncomplicated by the normal averaging over as many as 10⁴ to 10¹⁵ similar absorbers. Furthermore, in a solid at liquid helium temperatures the absorbing centers are effectively trapped by the host matrix and therefore show no Doppler or recoil effects. In fluorescence experiments, the problem of detecting the signal from a single absorber in a transparent host is complicated by Rayleigh and/or Raman background signals from the large number (10¹⁰ – 10¹⁸) of host molecules or ions in the probing volume. To date, the fluorescence from as few as five absorbing ions in a crystal at 77 K has been detected using a fixed frequency laser⁵. Far more information about the lineshape of a single absorber and the possible perturbations due to the local environment could be obtained if the actual frequency-dependent absorption spectrum of a single absorbing center in a solid could be recorded.

Recent measurements of statistical fine structure (SFS) on an inhomogeneously broadened optical transition of pentacene in p-terphenyl crystals ^{6,7} provide an alternative approach to single-molecule detection (SMD) and spectroscopy. The SFS experiments used a powerful, low-background technique, laser frequency-modulation (FM) spectroscopy⁸, to detect only the variations in the absorption coefficient on a frequency scale less than the modulating frequency v_m ; in this regime SFS scales as $(\overline{N}_H)^{1/2}$, where \overline{N}_H is the average number of absorbers in the probed volume within one homogenous linewidth. The observations of SFS were performed near the inhomogeneous line center with relatively large values of \overline{N}_H ($\simeq 10^5$). To achieve SMD, we proceed to the $\overline{N}_{H} < 1$ limit by moving out in laser wavelength to the wings of the inhomogeneous line where \overline{N}_{H} can be made arbitrarily small $^{9}. \;\;$ For example, if one assumes a Gaussian shape for the inhomogeneous line with a standard deviation of 0.02 nm (full-width at half-maximum FWHM 42 GHz)¹⁰, then the SMD spectra reported below were observed at a distance from line center equal to 6-8 standard deviations. The value of $\overline{N}_{\!\scriptscriptstyle H}$ at line center was approximately 10^3-10^4 in our samples and thus in the SMD region the simple Gaussian model would predict $\overline{N}_{H} \simeq 10^{-8}-10^{-7}$. It is not too surprising that there are long tails on the inhomogeneous line that extend out further than predicted by the Gaussian model, corresponding to more and more improbable, highly strained sites.

Although FM spectroscopy is quantum-limited in principle, the true sensitivity limit in many cases is controlled by interfering background signals from residual amplitude modulation (RAM)¹¹. To overcome this, we utilized two new techniques: FM/Stark double-modulation (FM/Stark)¹², and FM/ultrasound double-modulation (FM/US). Both methods rely on direct internal modulation of the absorption line with an external field and a second demodulation step to remove RAM.

The measurements were performed on the inhomogeneously broadened 0_1 (592.32) nm) and 0, (592.18 nm) site zero-phonon origin absorptions of pentacene dopant molecules in Bridgman-grown p-terphenyl single crystals 10 immersed in superfluid helium at 1.6 K. Single-molecule signals were observed on both the red edge of 0_1 and the blue edge of 0_2 , although only the long-wavelength results will be described here. Total concentrations ranged between 1 imes 10 $^{^{-6}}$ and 2 imes10⁻⁷ mole/mole, and the measurements were performed on cleaved samples 100-200 μm in thickness. To prevent thermal drift of the focal volume during acquisition of the spectra, a small 0.85 NA lens of 4.2 mm focal length on an electromagnetic positioner was attached directly to the sample holder in the liquid helium. The tunable rhodamine 6G dye laser (\simeq 3 MHz linewidth) was typically set to scan over 1 GHz in 0.25 s, hence the molecule was probed in the quasi-steady-state limit (i.e., the passage time of the laser through the molecular absorption line was longer than any molecular relaxation time). Full details of the experimental apparatus will be presented elsewhere 13.

An important advantage of FM spectroscopy ¹⁴ is that the detected signal approaches zero for signals from any background molecules with linewidths much larger than $\nu_{\rm m}$. The linewidth for pentacene is less than or equal to our values of $\nu_{\rm m}$, so the FM signal for one molecule is proportional to $(\Delta\alpha)L=(\sigma/A)$ where $\Delta\alpha$ is the difference in optical absorption at the upper and lower optical sidebands, L is the sample thickness, σ is the peak low temperature absorption cross section, and A is the cross-sectional beam area. For our focal spot diameter of \simeq 3 μ m, and neglecting any possible power broadening effects, the expected signal from a single pentacene absorber at the focus would be $(\Delta\alpha)L\simeq 1\times 10^{-4}$. Detection of such signals with FM techniques is improved when RAM is suppressed ¹¹.

The first three traces in Figure 1 show simulations of the expected single-molecule lineshape for either Stark or ultrasonic double modulation. Trace 1(a) shows the usual Lorentzian absorption profile $L_{\nu}(\nu)=(\gamma/2\pi)/[\nu^2+(\gamma/2)^2] \text{ where } \gamma \text{ (FWHM) has been set equal to 65 MHz for comparison purposes. When } \nu_{\text{m}}>>\gamma, \text{ simple FM detection (in the absorption, or S_1, phase 14) produces a lineshape composed of two copies of the absorption profile of opposite sign, spaced by <math>2\nu_{\text{m}}$ (Fig. 1(b)). With secondary modulation (at frequencies $<<\nu_{\text{m}}$ and $<<\gamma$), the center frequency of the original Lorentzian profile oscillates and the subsequent time dependence in the FM signal of Fig. 1(b) is detected with a phase-sensitive detector. The resulting lineshape (for small frequency deviations) is the first derivative of the FM

spectrum as shown in Fig. 1(c). Thus the essential signature of SMD is a large negative slope and a large positive slope separated by $2\nu_m$.

For the FM/Stark measurements, the samples were sandwiched between two indium-tin-oxide-coated sapphire disks for application of a sinusoidal Stark field at 5 kHz with peak value 45 kV/cm. Since pentacene has a quadratic Stark effect¹⁵, final demodulation was performed with a lock-in amplifier at 10 kHz (1.25 ms time constant). Figure 1(d) shows a set of eight FM/Stark double modulation spectra of a strong in-focus molecule far out in the long-wavelength edge of $\mathbf{0}_1$, along with several unavoidable weak spectra of out-of-focus molecules at the left and right edges of the laser scan range. The fiducial bar marks the value of $2v_m$. The expected "W" lineshape is clearly visible, with the exception of a larger-than-expected increase in signal at the center of the This central distortion is most likely due to a weak contribution from the molecular dispersion (S₂ phase 14) and can be explicitly removed, as has been done in Fig. 1(e) for the average of the eight scans of Fig. 1(d). Also shown in Fig. 1(e) is a fit to the strong central feature using a simple theory for the FM/Stark technique¹³. The fit to the major features of the strong in-focus molecule is reasonable. However, the value of γ required by the fitting process, 65 MHz, is larger than the photon-echo value (\simeq 8 MHz¹⁶) due possibly to local field fluctuations (see below), the detection time constant, or other effects. Due to signal-to-noise ratio (SNR) limitations, our main goal in this

study was to detect the major features of the single-molecule spectrum rather than to unequivocally determine the linewidth.

Although absolute calibrations of zero-background spectra are difficult, important insight comes from an approximate comparison of the amplitude of the central "W" in Fig. 1(d) with that expected for a single molecule. By calibration of the simple FM signal with a known absorption, 1 V on the vertical scale in Fig. 1 corresponds to an absorbance change $(\Delta\alpha)L\simeq 1.8x10^{-3}$, if the Stark shift is on the order of γ . The absorbance amplitude of the observed SMD signal of $\simeq 1.8 \times 10^{-4}$ is compatible with the expected value, if power broadening is not severe. In our experiments, we adjusted the light power on the avalanche photodiode detector to $\simeq 0.3~\mu W$ in order to obtain a favorable SNR. resulting sideband intensity of $\simeq 1 \text{ W/cm}^2$ is much larger than the saturation intensity of pentacene including triplet saturation¹³, 70 mW/cm². The fact that we nevertheless see approximately the full signal can be explained if triplet bottleneck effects are suppressed. The triplet yield has been shown to vary among the major sites of pentacene in p-terphenyi¹⁶, and here we have evidence that molecules in the wings of the inhomogeneous line for the O₁ site may have reduced intersystem crossing.

Figure 1(f) shows spectra from a wavelength so far away from the pentacene site origins that no molecules are expected to lie in the laser scan range; this is the background shot and avalanche noise. In samples of undoped pure

p-terphenyl, only a baseline noise level similar to the off-line data in Fig. 1(f) was observed, even near the center of the inhomogeneous line.

Figure 1(g) shows spectra of SFS near the inhomogeneous line center for the 0_2 site (for convenience) using a smaller number of averages. This spectrum is composed of a superposition of many "W" profiles like Figure 1(d) with many different center frequencies, illustrating the qualitative difference between spectra of large numbers of molecules (Fig. 1(g)) and SMD (Fig. 1(d)). The SFS is only \simeq 4 times larger than the SMD signals due mainly to triplet bottleneck saturation at the center of the inhomogeneous line.

We observed spectra similar to Fig. 1(d) on several occasions with several different samples; however, it was difficult to reliably observe SMD spectra each day with the FM/Stark technique. Furthermore, with smaller Stark fields, the SFS near line center became somewhat narrower (and weaker). We believe that these effects may be due to a well-known effect in molecular crystals 17 : charge injection into the p-terphenyl crystal during the detection process and subsequent time-dependent variations in the local electric field at the pentacene sites.

To overcome the problems with high electric fields, we also recorded spectra with the newly developed FM/US technique, which is essentially a combination of FM spectroscopy and an ultrasonic modulation method reported previously for the detection of spectral holes¹⁸. Since in this case the molecular absorption

line is shifted by an applied stress field, charge motion and injection become unimportant. The samples were bonded to a transparent shear mode quartz transducer driven at 2 MHz and final demodulation was performed phase-sensitively at the same frequency. The expected lineshapes for FM/US are the same as for FM/Stark detection.

Figure 2(a) shows that FM/US can produce strong repeatable spectra of SFS at the 0_1 line center. Far out in the wings of the inhomogeneous line, single-molecule features are also observed (Figs. 2(b)-2(e)). For example, in Fig. 2(b) taken with $\nu_{\rm m}=91$ MHz, the expected "W" structure appears near the center of the trace, with signals from out-of-focus molecules at other locations within the scan. For both techniques, we found it difficult to record spectra with only one strong in-focus molecule and no out-of-focus molecules due simply to the fact that the Rayleigh range of the laser focal spot was much smaller than the sample thickness. The apparent linewidth (\simeq 40 MHz) is smaller than with FM/Stark, but still larger than the previously measured homogeneous width due perhaps to ultrasonic mode conversion or other effects.

In Figs. 2(c), (d), and (e), the value of v_m was changed to 76 MHz, 61 MHz, and back to 76 MHz, respectively. The "W" lineshape clearly expands and contracts as expected in order to maintain the distance between the large negative and large positive slopes equal to $2v_m$. Such clear variations of the lineshape with v_m can only occur for a single molecule (or for 2 or more

molecules with exactly the same center frequency, but this is unlikely to occur so far out in the wings of the inhomogeneous line). When many molecules are present as in Fig. 2(a), the signal is a superposition of many "W" lineshapes with different center frequencies, and well-defined changes with v_m are not observed.

The fact that similar SMD spectra were observed with two radically different external fields rules out a number of artifacts that might arise from only one of these methods. This, in conjunction with the shape and approximate size of the features, the dependence on $\nu_{\rm m}$, the position relative to the inhomogeneous line center, and our insensitivity to any features wider than $\simeq 100$ MHz from non-rigid impurities, leads us to conclude that the spectra reported here are due to single molecules of pentacene in p-terphenyl. Thus, the $\overline{\rm N}_{\rm H}=1$ limit of SFS in inhomogeneously broadened lines in solids has been attained. Future development of techniques for recording SMD spectra at lower intensity and higher SNR should allow additional study of single local environments in solids without averaging over large numbers of "equivalent" molecular configurations. Such work would open up a new frontier of spectroscopy of single defect centers in solids where no Doppler, recoil, or multicenter averaging effects are present.

We acknowledge early groundwork by T. P. Carter, stimulating discussions with G. C. Bjorklund, and crucial electronic design assistance from D. E. Horne.

This work was supported in part by the U.S. Office of Naval Research.

REFERENCES

IBM World Trade Visiting Scientist

- 1. See for example W. M. Itano, J. C. Bergquist, and D. J. Wineland, Science 237, 612 (1987) and refs. therein.
- F. Diedrich, J. Krause, G. Rempe, M. O. Scully, and H. Walther, IEEE J. Quant. Elec. <u>24</u>, 1314 (1988).
- 3. A. Ashkin and J. M. Dziedzic, Science 235, 1517 (1987).
- D. C. Nguyen, R. A. Keller, J. H. Jett, and J. C. Martin, Anal. Chem. 59, 2158 (1987).
- 5. R. Lange, W. Grill, and W. Martienssen, Europhys. Lett. 6, 499 (1988).
- 6. W. E. Moerner and T. P. Carter, Phys. Rev. Lett. 59, 2705 (1987).
- T. P. Carter, M. Manavi, and W. E. Moerner, J. Chem. Phys. <u>89</u>, 1768
 (1988).
- 8. G. C. Bjorklund, Opt. Lett. <u>5</u>, 15 (1980).
- 9. W. E. Moerner, Bull. Am. Phys. Soc. <u>34</u>, 656 (1989).
- 10. R. W. Olson and M. D. Fayer, J. Phys. Chem. <u>84</u>, 2001 (1980).
- 11. E. A. Whittaker, M. Gehrtz, and G. C. Bjorklund, J. Op. Soc. Am. B: Opt. Phys. 2, 1320 (1985).
- 12. T. P. Carter, D. E. Horne, and W. E. Moerner, Chem. Phys. Lett, <u>151</u>, 102 (1988).
- 13. L. Kador, D. E. Horne, and W. E. Moerner, in preparation.

- G. C. Bjorklund, M. D. Levenson, W. Lenth, and C. Ortiz, Appl. Phys. B
 32, 145 (1983).
- 15. J. H. Meyling and D. A. Wiersma, Chem. Phys. Lett. 20, 383 (1973).
- 16. F. G. Patterson, H. W. H. Lee, W. L. Wilson, and M. D. Fayer, Chem. Phys. 84, 51 (1984).
- 17. F. P. Chen, S. J. Sheng, and D. M. Hanson, Chem. Phys. 5, 60 (1974).
- 18. W. E. Moerner and A. L. Huston, Appl. Phys. Lett. <u>48</u>, 1181 (1986).

FIGURE CAPTIONS

Figure 1. Illustration of single-molecule spectra using FM/Stark technique. (a) Simulation of absorption line, $\gamma=65$ MHz. (b) Simulation of FM spectrum for (a), $\nu_{\rm m}=75$ MHz. (c) Simulation of FM/Stark lineshape. (d) SMD spectra at 592.423 nm, 512 averages, 8 traces overlaid, bar shows value of $2\nu_{\rm m}=150$ MHz. (e) Average of traces in (d) (S₂ removed) with fit to the in-focus molecule (smooth curve). (f) Signal far off line at 597.514 nm. (g) Traces of SFS at the 0_2 line center, 592.186 nm.

Figure 2. Examples of single-molecule spectra using FM/ultrasound technique. (a) Traces of SFS at the 0_1 line center, 592.312 nm, 128 averages each. (b) SMD spectra at 592.469 nm, $v_{\rm m}=91$ MHz, 128 averages, bar shows the value of $2v_{\rm m}$. (c) $v_{\rm m}=76$ MHz. (d) $v_{\rm m}=61$ MHz. (e) Back to $v_{\rm m}=76$ MHz. (f) Far off line at 590.462 nm. (g) No light on the detector.




Figure 1




Figure 2

DL/1113/89/1

TECHNICAL REPORT DISTRIBUTION LIST, GENERAL

	No. Copies	<u>C</u>	No.
Office of Naval Research Chemistry Division, Code 1113 800 North Quincy Street Arlington, VA 22217-5000	3	Dr. Ronald L. Atkins Chemistry Division (Code 385) Naval Weapons Center China Lake, CA 93555-6001	1
Commanding Officer Naval Weapons Support Center Attn: Dr. Bernard E. Douda Crane, IN 47522-5050	1	Chief of Naval Research Special Assistant for Marine Corps Matters Code 00MC 800 North Quincy Street	1
Dr. Richard W. Drisko Naval Civil Engineering Laborator	1 v	Arlington, VA 22217-5000	
Code L52 Port Hueneme, California 93043 Defense Technical Information Cen		Dr. Bernadette Eichinger Naval Ship Systems Engineering Station Code 053	1
Building 5, Cameron Station Alexandria, Virginia 22314	ter 2 <u>high</u> quality	Philadelphia Naval Base Philadelphia, PA 19112	
David Taylor Research Center Dr. Eugene C. Fischer Annapolis, MD 21402-5067	1	Dr. Sachio Yamamoto Naval Ocean Systems Center Code 52 San Diego, CA 92152-5000	1
Dr. James S. Murday Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	David Taylor Research Center Dr. Harold H. Singerman Annapolis, MD 21402-5067 ATTN: Code 283	1

4 6-89 DTIC